





GS-12/L







GS-12/L




1



2



3




4



5

GS-12/L



Glass Height/H Altura De Vidrio/H	Thickness (inches) Espesor (inches)	Thickness (mm) Espesor (mm)	L	(kN)	(J)
0 - 47.24" 0 - 1200 mm	(0.20+0.06+0.20),(0.24+0.06+0.24)	(5+1,52+5),(6+1,52+6)	118.11" 3000 mm	-	-
	(0.31+0.06+0.31)	(8+1,52+8)		5,1	600

MC-402/B



Base Profile Set 118.11" (3000 mm)
(0.39"-0.47"-0.63" / 10-12-16 mm Glass Thickness)
Base Perfil 118.11" (3000 mm) (0.39"-0.47"-0.63" / 10-12-16 mm Vidrio) (Con Cuña Y Plástica Para Apretar el Vidrio)

MC-103/H



Base Profile Cover 2.6 lbs (1,20 kg) / 236.22" (6 mt)

Perfil Tapa Superior Para Base
2.6 lbs (1,20 kg) / 236.22" (6 mt)

MC-500



0.39"-0.47"-0.63"-0.79" / 10-12-16-20 mm
Glass Gasket (39.37" / 1 mt)

0.39"-0.47"-0.63"-0.79" / 10-12-16-20 mm
Goma (39.37" / 1 mt)

MC-603



MC-103/H

Base Profile Plug

Tapa Final

M27-48/B



M8 Rod (5.91" / 150 mm)

M8 Barra (5.91" / 150 mm)


M27-59



M8 Washer

M8 Arandela

M27-52/C



M8 Nut And Washer

M8 Tuerca Con Arandela

M27-57/A



M8x150 Concrete Screw - Multi Monti

M8x150 Tornillo Para Hormigón - Multi Monti

